WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLIC

IN PUBLISHED UNDER THE PATENT O

ERATION TREATY (PCT)

(51) International Patent Classification 6:

A23K 1/16, 1/18, A23L 1/275

(11) International Publication Number:

WO 96/23420

A1

(43) International Publication Date:

8 August 1996 (08.08.96)

(21) International Application Number:

PCT/EP96/00373

(22) International Filing Date:

30 January 1996 (30.01.96)

(30) Priority Data:

0108/95

31 January 1995 (31.01.95)

DK

(71) Applicant (for all designated States except US): NEU-ROSEARCH A/S [DK/DK]; Smedeland 26B, DK-2600 Glostrup (DK).

(72) Inventor; and

(75) Inventor/Applicant (for US only): MOLDT, Peter [DK/DK]; Langebjergvej 355, DK-3050 Humleback (DK).

(74) Agent: GRÜNECKER, KINKELDEY, STOCKMAIR & SCHWANHAUSSER; Maximilianstrasse 58, D-80538 München (DE).

(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP. KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD. SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AZ, BY, KG, KZ, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CL, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: ASTAXANTHIN SUSPENSION

(57) Abstract

A suspension of astaxanthin in oil and use thereof in the manufacture of feed for aquatic animals.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| AM | Armenia | GB | United Kingdom | MW | Malawi |
|----------|--------------------------|-----|------------------------------|----|--------------------------|
| AT | Anstria | GE | Georgia | MX | Mexico |
| AU | Australia | GN | Guinea | NE | Niger |
| BB | Barbados | GR | Greece | NL | Netherlands |
| BE | Belgium | HU | Hungary | NO | Norway |
| BF | Burkina Faso | IR. | Ireland | NZ | New Zealand |
| BG | Bulgaria | īT | Italy | PL | Poland |
| BJ | Benin | JР | Japan | PT | Portugal |
| BR | Brazil | ICE | Kenya | RO | Romania |
| BY | Belanus | KG | Kyrgystan | RU | Russian Federation |
| CA | Canada | KP | Democratic People's Republic | SD | Sudan |
| CF CF | Central African Republic | | of Korea | SE | Sweden |
| CG | Congo | KR | Republic of Korea | SG | Singapore |
| CH | Switzerland | KZ | Kazakhatan | SI | Slovenia |
| a | Côte d'Ivoire | ü | Liechtenstein | SK | Slovakia |
| CM | Cameroon | LK | Sri Lanka | SN | Senegal |
| CN | China | LR | Liberia | SZ | Swaziland |
| cs | Czechoslovskia | LT | Lithuania | TD | Chad |
| œ | Czech Republic | LU | Luxembourg | TG | Togo |
| DE | Germany | LV | Latvia | TJ | Tajikistan |
| DK | Denmark | MC | Monaco | TT | Trinidad and Tobego |
| EE | Betonia | MD | Republic of Moldova | UA | Ukraine |
| ES. | Spain | MG | Madagascar | UG | Uganda |
| ri Pi | Finland | ML | Mali | US | United States of America |
| FR | Proce | MN | Mongolia | UZ | Uzbekistan |
| GA | Gabon | MR | Mauritania | VN | Vict Nam |

WO 96/23420 PCT/EP96/00373



This invention relates to a stable oil suspension of astaxanthin with high bioavailability, and the use thereof.

5

PRIOR ART

Astaxanthin belongs to the carotenoids, which is a group of compounds exhibiting a wide range of yellow to red colour nuances. Carotenoids give rise to several of the colour characteristics of plants, and aquatic animals, for example.

Carotenoids are insoluble in water and are only slightly fat soluble which means that solutions of carotenoids for direct application are unavailable. Furthermore, carotenoids are very sensible to oxidation.

15

The colouring effect of crystalline carotenoids, which can be isolated in laboratories, is very low due to the insolubility and the particle size of the crystals.

In order to increase the colouring effect and the resorbability of carotenoids, it is
necessary to reduce the particle size of the carotenoids and to protect the carotenoids from oxidation.

Astaxanthin is used in fish-farming to impart a pink colour to shrimp, trout, salmon etc.

Currently, two gelatine-coated products (Carophyll Pink™) containing 5% and 8% astaxanthin, respectively, are commercially available. These products are given in the feed.

These products, however, suffer from the disadvantages of having a reduced bioavailability due to a very slow dissolution rate of gelatine at low temperatures, and a
limited storage time due to a hardening of the gelatine capsule; furthermore, there is a
considerable waste of the products (approximately 15%) during production of feed by
extrusion.

10

30



It is an object of the invention to provide a stable suspension of astaxanthin with a high bioavailability even at low temperatures. Furthermore, it is an object of the invention to provide a product that can be added to the feed after extrusion and thereby obviating the loss of colour pigment in feed production.

Additional objects will be obvious to a person skilled in the art.

SUMMARY OF THE INVENTION

The invention comprises thus the following:

A suspension of astaxanthin in oil wherein a majority of the astaxanthin particles have a particle size less than 2 μm;

such a suspension wherein a majority of the astaxanthin particles have a particle size less than less than 1µm;

such a suspension wherein the concentration of astaxanthin is between 0.03% and 50%;

such a suspension wherein the concentration of astaxanthin is between 5% and 20%;

25 such a suspension containing an antioxidant;

the use of such a suspension in the manufacture of feed for aquatic animals;

and such use whereby the oil suspension is absorbed into the feed after extrusion.

The suspension according to the invention can be prepared by milling of astaxanthin, if desired in the presence of oil. Suitably, astaxanthin is milled without oil, whereafter oil is added and the milling continued, if desired.

Oxidation of astaxanthin during the dry milling operation can be reduced by the application of an inert gas atmosphere.

Another method by which astaxanthin could be obtained in finely divided form is by abrupt precipitation from a solution of astaxanthin in a solvent.

The astaxanthin particles in the suspension of the invention have a particle size less than 2 μ m, especially less than 1 μ m. More preferred is an astaxanthin particle size less than 0.5 μ m, especially less than 0.1 μ m.

10

15

The oil can be any animal or vegetable oil suitable for use in feed for aquatic animals. Such oil includes fish oil, such as for example mackerel oil, sprat oil and launce oil.

Antioxidants, such as for example tocopherols, especially α -tocopherol, butylhydroxyanisole (BHA), butylhydroxytoluene (BHT), ascorbylpalmitate or ethoxyquin, can be added to the suspension to avoid oxidation.

Further stabilisation of the solution of the invention can be obtained by keeping the suspension at temperatures below the solidification temperature.

20

Feed for aquatic animals suitably contains 15-30 % fat. Fat can be added by absorption of oil into the feed after extrusion, if desired using vacuum. The oil suspension of the invention could suitably be added to the feed using the same procedure, whereby an addition of fat and astaxanthin is obtained in one step.

25

Preferably, the suspension of the invention has a high concentration of astaxanthin and is diluted with additional oil before use.

The final concentration of astaxanthin in fish feed is suitable between 25 and 100 ppm.

Detailed Description of the Invention

The invention will now be described in greater detail with reference to the following example, which are given by way of illustration and are not to be construed as limiting.

Milling of Astaxanthin

Astaxanthin (0.1 g) is milled for one hour totally in a Fritsen planetary micro mill pulverisette 7, speed 6. 5 ml of Launce oil (Esbjerg Fiskelndustri) is added and milling is continued for 15 min, speed 1.5. Particle size is measured by microscopy and found to be less than 2 μm for the majority of the particles.

This suspension is poured on to a glass and placed in the dark at room temperature for 14 days.

The above procedure is repeated, and the suspension obtained is compared with the 14-day-old suspension.

The small particles show a tendency to agglomeration but nothing indicates that the particles grow when standing. There is no sedimentation of astaxanthin.

Launce oil solidifies at -18°C.

CLAIMS:

1. A suspension of astaxanthin in oil wherein a majority of the astaxanthin particles have a particle size less than $2 \mu m$.

5

- 2. A suspension as in claim 1 wherein a majority of the astaxanthin particles have a particle size less than 1 μ m.
- 3. A suspension as in claim 1 wherein the concentration of astaxanthin is
 10 between 0.03% and 50%.
 - 4. A suspension as in claim 3 wherein the concentration of astaxanthin is between 5% and 20%.
- 15 5. A suspension as in claim 1 containing an antioxidant.
 - 6. Use of the suspension in claim 1 in the manufacture of feed for aquatic animals.
- 20 5. The use according to claim 6 hereby the oil suspension is absorbed into the feed after extrusion.

25

Intr onal Application No

PCT/EP 96/00373

A. CLASSIFICATION OF SUBJECT IPC 6 A23K1/16

TER K1/18

A23L1/275

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23K A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

| COMEN! | CONSIDERED | I TO BE KELEVANT |
|--------|------------|------------------|
| | | |
| | | |

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-----------------------|
| Y | WO,A,93 14645 (GIST-BROCADES N.V.) 5 August 1993 see page 4, line 3-11 | 1 |
| | see page 6, line 1 - page 7, line 2 see examples I-III see claims 1-6.8 | |
| A | see Clamis 1-0,0 | 6,7 |
| Y | EP,A,0 239 949 (BASF A.G.) 7 October 1987 see page 1, line 1 - line 2 see page 3, line 30 - line 36 see page 3, line 43 - line 49 see claim 1 | 1 |
| | -/ | |
| | · | |
| | | |
| · | | |

| X Further documents are listed in the continuation of box C | X |] 1 | Further | documents | are list | ed in the | continuation | of box | c. |
|---|---|-----|---------|-----------|----------|-----------|--------------|--------|----|
|---|---|-----|---------|-----------|----------|-----------|--------------|--------|----|

X Patent family members are listed in annex.

- * Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- 'E' earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- 'O' document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed
- "I later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "A" document member of the same petent family

Date of the actual completion of the international search

Date of mailing of the international search report

18 March 1996

26.03,96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2230 HV Rijswijk Tel. (+31-70) 340-2040, Tr. 31 651 epo nl, Faz: (+31-70) 340-3016 Authorized officer

Dekeirel, M

Porm PCT/ISA/218 (second shoot) (July 1992)

BEST AVAILABLE COPY

1

INTERNATIONAL SEARCH REPORT

In tional Application No PCT/EP 96/00373

| | | PCT/EP 96/003/3 |
|------------|--|-----------------------|
| C.(Continu | ston) DOCUMENT SIDERED TO BE RELEVANT | Relevant to claim No. |
| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Research Calif No. |
| A | WO,A,89 06910 (MICROBIO RESOURCES, INC.) 10 August 1989 see page 7, line 24 - page 8, line 17 see page 9, line 24 - page 10, line 35 | 1,6 |
| A | wo,A,88 08025 (DANISCO BIOTEKNOLOGI A/S) 20 October 1988 see page 20, line 21 - page 21, line 2 | 1 |
| A | WO,A,91 06292 (DANOCHEMO A/S) 16 May 1991 see claims 1,4,5,15,16 | 1 |
| A | EP,A,O 551 638 (BASF A.G.) 21 July 1993 see column 2, line 38 - line 42 see column 3, line 53 - line 54 see claim 1 | 1. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | · |
| | | |
| | | |
| | | |
| | | |
| | | |

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

In Jonal Application No PCT/EP 96/00373

| Patent document cited in search report | Publication date | | family ber(s) | Publication date |
|--|------------------|--------|---------------|----------------------------|
| WO-A-9314645 | 05-08-93 | EP-A- | 0556883 | 25-08-93 |
| | | JP-T- | 6505881 | 07 <i>-</i> 07 <i>-</i> 94 |
| | | NO-A- | 933400 | 17-11-93 |
| EP-A-239949 | 07-10-87 | DE-A- | 3611229 | 08-10-87 |
| | | DE-A- | 3784534 | 15-04-93 |
| | | US-A- | 4726955 | 23-02-88 |
| WO-A-8906910 | 10-08-89 | US-A- | 4871551 | 03-10-89 |
| | | AU-B- | 605082 | 03-01-91 |
| | | AU-B- | 3182389 | 25-08-89 |
| | | CA-A- | 1333345 | 06-12-94 |
| | | EP-A,B | 0356499 | 07-03-90 |
| | | GR-B- | 1000274 | 12-05-92 |
| | | IE-B- | 61202 | 19-10-94 |
| | | JP-T- | 2503632 | 01-11-90 |
| | | NO-B- | 174274 | 03-01-94 |
| | | PT-B- | 89656 | 31-12-93 |
| WO-A-8808025 | 20-10-88 | AU-B- | 620034 | 13-02-92 |
| | | AU-B- | 1688988 | 04-11-88 |
| | | CA-A- | 1334512 | 21-02-95 |
| | | DE-D- | 3883539 | 30-09-93 |
| | | DE-T- | 3883539 | 17-03-94 |
| | | DK-B- | 168542 | 18-04-94 |
| | | EP-A- | 0367765 | 16-05-90 |
| | | IE-B- | 60606 | 27-07-94 |
| | | JP-B- | 7014340 | 22-02-95 |
| | • | JP-T- | 2504101 | 29-11-90 |
| | | US-A- | 5356810 | 18-10-94 |
| WO-A-9106292 | 16-05-91 | AU-B- | 6632490 | 31-05-91 |
| | | CA-A- | 2072108 | 03-05-91 |
| | | DE-D- | 69006362 | 10-03-94 |
| | | DE-T- | 69006362 | 01-09-94 |
| | | EP-A- | 0498824 | 19-08-92 |
| | | ES-T- | 2062563 | 16-12-94 |
| | | | | |
| | | US-A- | 5460823 | 24-10-95 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No PUT/EP 96/00373

| Patent document cited in search report date | Patent fami member(s) | Publication date |
|---|---|----------------------------------|
| EP-A-551638 | CA-A- 2086847 JP-A- 5304903 US-A- 5350773 | 15-07-93 19-11-93 27-09-94 |